

FORM-PTO-1390
 (Rev. 9-2001)

U. S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

**TRANSMITTAL LETTER TO THE UNITED STATES
 DESIGNATED/ELECTED OFFICE (DO/EO/US)
 CONCERNING A FILING UNDER 35 U.S.C. 371**

016800-473

U. S. APPLICATION NO. (If known, see 37 C.F.R. 1.5)

Unassigned

10/031403

INTERNATIONAL APPLICATION NO.
 PCT/FR00/01048

INTERNATIONAL FILING DATE
 20 APRIL 2000

PRIORITY DATE CLAIMED
 23 JULY 1999

TITLE OF INVENTION
 ISOLATED PEPTIDE OF THE HORNY LAYER AND USE THEREOF

APPLICANT(S) FOR DO/EO/US
 Bruno MEHUL, Dominique BERNARD and Lucie SIMONETTI

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☒ is attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ has been communicated by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☐ is attached hereto.
 - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☐ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ have been communicated by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☐ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11 to 20 below concern document(s) or information included:

11. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☐ A FIRST preliminary amendment.
14. ☐ A SECOND or SUBSEQUENT preliminary amendment.
15. ☐ A substitute specification.
16. ☐ A change of power of attorney and/or address letter.
17. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
18. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
19. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
20. ☒ Other items or information:

International Preliminary Examination Report (PCT/IPEA/416), Form PCT/IPEA/409; Response from IPE Authority; Form PCT/IB/308, Form PCT/IB/332 and International Search Report (Form PCT/ISA/210).



21839

U.S. APPLICATION NO. (If known, see 37 CFR 1.5) Unassigned 10/031403	INTERNATIONAL APPLICATION NO PCT/FR0/01048	ATTORNEY'S DOCKET NUMBER 016800-473
--	--	---

21. <input checked="" type="checkbox"/> The following fees are submitted:				CALCULATIONS	PTO USE ONLY
Basic National Fee (37 CFR 1.492(a)(1)-(5)): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1,040.00 (960) International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$890.00 (970) International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00 (958) International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$710.00 (956) International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00 (962)					
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$ 890.00	
Surcharge of \$130.00 (154) for furnishing the oath or declaration later than months from the earliest claimed priority date (37 CFR 1.492(e)). 20 <input type="checkbox"/> 30 <input type="checkbox"/>				\$	
Claims	Number Filed	Number Extra	Rate		
Total Claims	-20 =		X\$18.00 (966)	\$	
Independent Claims	-3 =		X\$84.00 (964)	\$	
Multiple dependent claim(s) (if applicable)			+ \$280.00 (968)	\$	
TOTAL OF ABOVE CALCULATIONS =				\$	
Reduction for 1/2 for filing by small entity, if applicable (see below).				+	-
SUBTOTAL =				\$ 890.00	
Processing fee of \$130.00 (156) for furnishing the English translation later than months from the earliest claimed priority date (37 CFR 1.492(f)). 20 <input type="checkbox"/> 30 <input type="checkbox"/>				\$	
TOTAL NATIONAL FEE =				\$ 890.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 (581) per property				+	\$
TOTAL FEES ENCLOSED =				\$ 890.00	
				Amount to be refunded:	\$
				charged:	\$

- a. ☐ Small entity status is hereby claimed.
- b. ☒ A check in the amount of \$ 890.00 to cover the above fees is enclosed.
- c. ☐ Please charge my Deposit Account No. 02-4800 in the amount of \$_____ to cover the above fees. A duplicate copy of this sheet is enclosed.
- d. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 02-4800. A duplicate copy of this sheet is enclosed.
- NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.**

SEND ALL CORRESPONDENCE TO:

Norman H. Stepno
BURNS, DOANE, SWECKER & MATHIS, L.L.P.
P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620

SIGNATURE

Teresa Stanek Rea

NAME

30,427

REGISTRATION NUMBER

January 18, 2002

DATE

Patent
Attorney's Docket No. 016800-473

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)	
)	
Bruno MEHUL, et al.)	Group Art Unit: Unassigned
)	
Application No.: 10/031,403)	Examiner: Unassigned
(Corresponds to PCT/FR00/01048))	
)	
Int'l. Filing Date: 20 April 2000)	
)	
For: ISOLATED PEPTIDE OF THE)	
HORNY LAYER AND USE)	
THEREOF)	
)	

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Prior to examination, please amend the above-captioned application as follows:

IN THE CLAIMS:

Kindly amend claims 1, 3-21, 24, 24⁵ and 29-32 as follows.

1. (Amended) Purified natural or synthetic polypeptide comprising amino acid sequence SEQ ID NO: 1:

3. (Amended) Polypeptide according to claim 1, wherein it is purified from the skin of mammals.
4. (Amended) Polypeptide according to claim 1, wherein it is purified from human skin.
5. (Amended) Polypeptide according to claim 1, wherein it is purified from the human epidermis.
6. (Amended) Natural or synthetic polypeptide whose sequence in part comprises the sequence of polypeptide as described in claim 1.

7. (Amended) Polypeptide according to claim 1, wherein it has a theoretical isoelectric point between 1 and 6.

8. (Amended) Polypeptide according to claim 1, wherein it has a theoretical molecular weight of between 13 and 17 kilodaltons (kD).

9. (Amended) Mixture of polypeptides obtained from the proteolysis of polypeptide as described in claim 1.

10. (Amended) Polypeptide according to claim 1, wherein in its primary sequence, it has at least one calcium-fixing site.

11. (Amended) Polypeptide according to claim 1, wherein it fixes calcium.

12. (Amended) Composition comprising in a physiologically acceptable medium an effective amount of at least one polypeptide as defined in claim 1.

13. (Amended) Composition intended to regulate the impairments of epidermal, normal or pathological proliferation or differentiation, comprising, in a cosmetically acceptable medium, an effective amount of at least one polypeptide as defined in claim 1.

19. (Amended) The composition according to claim 12, wherein the polypeptide or the composition is intended to regulate the formation of the corneal layer of the epidermis.

20. (Amended) A method for treating dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyoses, neoplasias, wherein a cosmetic composition as described in claim 12 is applied on the skin of the subject to be treated.

21. (Amended) Isolated deoxyribonucleic acid fragment that codes for the polypeptide as defined in claim 1.

24. (Amended) Cosmetic or pharmaceutical composition, wherein it comprises, in a physiologically acceptable medium, at least one nucleotide sequence as described in claim 22.

25. (Amended) A polypeptide or a mixture of polypeptides comprising at least one deoxyribonucleic acid sequence as described in claim 22.

29. (Amended) A method for preparing a ribonucleic acid comprising using at least one deoxyribonucleic acid sequence as described in claim 22.

30. (Amended) A method for preparing or purifying any molecule that can be bound specifically to at least one isolated purified polypeptide as described in claim 1 or to purified proteolysis fragments of said polypeptide or to a synthetic peptide of said polypeptide.

31. (Amended) A method for preparing or purifying antiserums or specific monoclonal antibodies comprising using at least one isolated polypeptide or at least one of its proteolysis fragments or any synthetic peptide as described in claim 1.

32. (Amended) Polyclonal or monoclonal antibodies, wherein said antibody recognizes specifically the polypeptide as described in claim 1.

Application No. 10/031,403
Attorney's Docket No. 016800-473
Page 7

REMARKS

Entry of the foregoing amendment(s) is respectfully requested.

The claims have been amended to eliminate multiple dependency and to place them in better condition for U.S. patent practice.

Should the Examiner have any questions concerning the subject application, a telephone call to the undersigned would be appreciated.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By: 

Teresa Stanek Rea
Registration No. 30,427

P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620

Date: April 16, 2002

Application No. 10/031,403

Attorney's Docket No. 016800-473

Page 1

Attachment to Preliminary Amendment dated April 16, 2002

Marked-up Claims 1, 3-21, 24, 25 and 29-32

1. (Amended) Purified natural or synthetic polypeptide[, characterized by the fact that it responds to the] comprising amino acid sequence SEQ ID NO: 1:

3. (Amended) Polypeptide according to [any of the preceding claims] claim 1, wherein it is purified from the skin of mammals.

Attachment to Preliminary Amendment dated April 16, 2002

Marked-up Claims 1, 3-21, 24, 25 and 29-32

4. (Amended) Polypeptide according to [any of the preceding claims] claim 1, wherein it is purified from human skin.

5. (Amended) Polypeptide according to [any of the preceding claims] claim 1, wherein it is purified from the human epidermis.

6. (Amended) Natural or synthetic polypeptide whose sequence in part [consists of] comprises the sequence of polypeptide as described in claim 1.

7. (Amended) Polypeptide according to [any of the preceding claims] claim 1, wherein it has a theoretical isoelectric point between 1 and 6[, particularly between 3 and 5].

8. (Amended) Polypeptide according to [any of the preceding claims] claim 1, wherein it has a theoretical molecular weight of between 13 and 17 kilodaltons (kD)[, particularly between 14 and 16 kilodaltons (kD)].

9. (Amended) Mixture of polypeptide obtained from the proteolysis of polypeptide as described in [claims 1 to 8] claim 1.

Attachment to Preliminary Amendment dated April 16, 2002

Marked-up Claims 1, 3-21, 24, 25 and 29-32

10. (Amended) Polypeptide according to [any of the preceding claims] claim 1, wherein in its primary sequence, it has at least one calcium-fixing site.
11. (Amended) Polypeptide according to [any of the preceding claims] claim 1, wherein it fixes calcium.
12. (Amended) Composition [wherein it comprises] comprising in a physiologically acceptable medium an effective amount of at least one polypeptide as defined in [any of claims 1 to 11] claim 1.
13. (Amended) Composition intended to regulate the impairments of epidermal, normal or pathological proliferation or differentiation, [wherein it comprises] comprising, in a cosmetically acceptable medium, an effective amount of at least one polypeptide as defined in [any of claims 1 to 11] claim 1.
14. (Amended) Composition for treating dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyoses, or neoplasias, [wherein] comprising in a physiologically acceptable medium, [it comprises] an effective amount of at least one polypeptide as defined in [any of claims 1 to 11] claim 1.

Attachment to Preliminary Amendment dated April 16, 2002

Marked-up Claims 1, 3-21, 24, 25 and 29-32

15. (Amended) Composition according to [any of claims 12 to 14] claim 12,
[wherein it] which is intended for [a] cosmetic or pharmaceutical application.
16. (Amended) [Use of at least one polypeptide as defined in any of claims 1 to 11, in a composition or for the preparation of a composition, whereby the polypeptide or the composition is intended to treat] A method for the treatment of dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyoses, or neoplasias, comprising administering an effective amount of at least one polypeptide according to claim 1 to a patient in need of such treatment.
17. (Amended) [Use of at least one polypeptide as defined in any of claims 1 to 11, in a composition or for the preparation of a composition, whereby the polypeptide or the composition is intended to regulate the] A method for regulating transglutaminases comprising administering an effective amount of at least one polypeptide according to claim 1 to a patient in need of such regulation.
18. (Amended) [Use of a least one polypeptide as defined in any of claims 1 to 11, in a composition or for the preparation of a composition, whereby] The method according to claim 17, wherein the polypeptide or the composition is intended to regulate transglutaminase 3.

Marked-up Claims 1, 3-21, 24, 25 and 29-32

19. (Amended) [Use of at least one polypeptide as defined in any of claims 1 to 11, in a composition or for the preparation of a composition, whereby] The composition according to claim 12, wherein the polypeptide or the composition is intended to regulate the formation of the corneal layer of the epidermis.

20. (Amended) [Process of cosmetic treatment] A method for treating dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyoses, neoplasias, wherein a cosmetic composition as described in [claims 12 to 15] claim 12 is applied on the skin of the subject to be treated.

21. (Amended) Isolated deoxyribonucleic acid fragment that codes for the polypeptide as defined in [one of claims 1 to 11] claim 1.

24. (Amended) Cosmetic or pharmaceutical composition, wherein it comprises, in a physiologically acceptable medium, at least one nucleotide sequence as described in [any of claims 22 or 23] ~~claim 22~~.

25. (Amended) [Use of at least one deoxyribonucleic acid sequence as described in any of claims 22 or 23 for preparing a] Δ polypeptide or a mixture of polypeptides comprising at least one deoxyribonucleic acid sequence as described in claim 22.

Attachment to Preliminary Amendment dated April 16, 2002

Marked-up Claims 1, 3-21, 24, 25 and 29-32

29. (Amended) [Use of at least one deoxyribonucleic acid sequence as described in any of claims 22 or 23] A method for preparing a ribonucleic acid comprising using at least one deoxyribonucleic acid sequence as described in claim 22.

30. (Amended) [Use of at least one isolated polypeptide or at least one of its proteolysis fragments or any synthetic peptide as described in claims 1 to 11] A method for preparing or purifying any molecule that can be bound specifically to [said] at least one isolated purified polypeptide as described in claim 1 or to [said] purified proteolysis fragments of said polypeptide or to [said] a synthetic peptide of said polypeptide.

31. (Amended) [Use of at least one isolated polypeptide or at least one of its proteolysis fragments or any synthetic peptide as described in claims 1 to 11] A method for preparing or purifying antisera or specific monoclonal antibodies comprising using at least one isolated polypeptide or at least one of its proteolysis fragments or any synthetic peptide as described in claim 1.

32. (Amended) Polyclonal or monoclonal antibodies, wherein said antibody recognizes specifically the polypeptide as described in [claims 1 to 11] claim 1.

Patent
Attorney's Docket No. 016800-473

In re Patent Application of)	
)	
Bruno MEHUL et al)	Group Art Unit: Not yet assigned
)	
Serial No.: 10/031,403)	Examiner: Not yet assigned
)	
Filed: April 16, 2002)	ATTENTION: BOX SEQUENCE
)	
For: Isolated Peptide of the Horny)	
Layer and Use Thereof)	

1. That the content of the paper and computer readable copies of the Sequence Listing, submitted in accordance with 37 C.F.R. §1.821(c) and (e), respectively, are the same in compliance with §1.821(f).
2. That the submission, filed in accordance with 37 C.F.R. §1.821(g)[or (h)], herein does not include new matter [or go beyond the disclosure in the international application].
3. That the substitute copy of the computer readable form, submitted in accordance with 37 C.F.R. §1.825(d), is identical to that originally filed.

Serial No.: 10/031,403

I hereby declare that all statements made herein of my own knowledge are true and that all statements were made on information and belief and are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Date

28 May 2022

Teresa Stanek Rea
Registration No. 30,427

PTO/PCT 28 MAY 2002

Patent
Attorney's Docket No. 016800-473

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)	
)	
Bruno MEHUL et al)	Group Art Unit: Not yet assigned
)	
Serial No.: 10/031,403)	Examiner: Not yet assigned
)	
Filed: April 16, 2002)	ATTENTION: BOX SEQUENCE
)	
For: Isolated Peptide of the Horny)	
Layer and Use Thereof)	

REPLY

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

In response to the Notification of Defective Response dated May 7, 2002, please
amend the above-identified application as follows:

IN THE SPECIFICATION:

In compliance with 37 C.F.R. §1.823(a), please insert the attached paper copy
of the "Sequence Listing" after the last page of the above-identified application to replace the
Sequence Listing previously filed with the application on April 16, 2002.

Serial No.: 10/031,403

REMARKS


The paper copy of the Sequence Listing for the subject application, is by this amendment, added after the last page of the application to replace the Sequence Listing previously filed with the application on April 16, 2002.

Favorable consideration on the merits is respectfully requested.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By



Teresa Stanek Rea
Registration No. 30,427

P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620

Date:

28 May 2002

16 APR 2002

10/031403

Translator's Notes:

On French page 15, line 37, the word "bentones" appears as an example of a modified clay. "Bentones" could not be found in available sources, and this term could be a typographical error for "betones," which means "concretes." The term "bentones" was, however, left as is in the translation (English page 22, line 14).

On French page 18, line 24, the terms "pottérisé" and "repotterisé" appear. These terms could not be found in available sources and thus were anglicized to "potterized" and "repotterized" respectively (English page 26, lines 7 and 6 from the bottom).

[illegible]

(19) World Intellectual Property Organization
International Office

(43) International publication date
February 1, 2001 (2/1/2001) PCT

(10) International publication number
WO 01/07604 A1

(51) International patent classification⁷: C12N 15/12, C07K
14/47, 16/18, A61K 38/17, 48/00

(21) International application number: PCT/FR00/01048

(22) International filing date: April 20, 2000 (4/20/2000)

(25) Filing language: French

(26) Publication language: French

(30) Priority data:

99/09615 July 23, 1999 (7/23/1999) FR

(71) Applicant (for all designated countries except for the U.S.): **L'OREAL** [FR/FR]; 14, rue Royale, F-75008 Paris (FR).

(72) Inventors; and

(75) Inventors/applicants (only for the U.S.):

MEHUL, Bruno [FR/FR]; 2, place de la Fontaine, F-92800 Villejuif (FR). BERNARD, Dominique [FR/FR]; 48, rue Paul Barruel, F-75015 Paris (FR). SIMONETTI, Lucie [FR/FR]; 14, rue Breguet, F-75011 Paris (FR).

(74) Agent: GALUP, Cédric; L'Oréal/D.P.I., 6, rue Bertrand
Sincholle, F-92585 Clichy Cedex (FR).

(81) Designated countries (National): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

Published:

As regards the two-letter codes and the other abbreviations, refer to the "Guidance Notes Relative to Codes and Abbreviations" that appear at the beginning of each regular issue of the PCT Gazette.

(57) **Abstract:** The invention has as its object an isolated polypeptide from the family of the calcium-fixing proteins, a

mixture of polypeptides obtained from the proteolysis of the isolated polypeptide, compositions that contain them, the uses of said polypeptide and a cosmetic treatment process that is intended to treat dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyosis, and neoplasias. The invention also has as its object a deoxyribonucleic acid sequence that codes for said polypeptide and the uses of said deoxyribonucleic acid sequence.

WO 01/07604

PCT/FR00/01048

Isolated Polypeptide of the Stratum Corneum and Its Use.

The invention has as its object an isolated polypeptide from the family of the calcium-fixing proteins, a mixture of polypeptides obtained from the proteolysis of the isolated polypeptide, compositions that contain them, the uses of said polypeptide and a cosmetic treatment process that is intended to treat dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyosis, and neoplasias. The invention also has as its object a deoxyribonucleic acid sequence that codes for said polypeptide and the uses of said deoxyribonucleic acid sequence.

The key role of the calcium flows in the cellular functions has been extensively described for more than 20 years. The calcium is thus an intracellular messenger of outstanding importance. Numerous hormones and extracellular messengers exert their effect by an increase of the intracellular ratio of calcium. It was quickly shown that most of the effects of the calcium were determined by a large, relatively homogeneous family of calcium-binding proteins. Among this family, the calmodulins are the most ubiquitous. The role of the calmodulin is to recognize the changes in the concentration of cytosolic calcium ions and to transmit the information to the intracellular proteins.

The transmission of the signal is carried out when the calmodulin binds the calcium during an increase of the cell ratio

of the latter. This brings about changes in conformation of the protein which increases considerably its affinity for the target protein.

In terms of configuration, the free calcium calmodulin contains two globular domains that are connected by a flexible arm. Each domain contains two well-defined "helix-loop-helix" patterns that are known under the name of "EF-Hands" and that are responsible for the bond with calcium. The bond with the calcium induces a very significant conformational change. This conformational change is reflected by a presentation of the globular hydrophobic portion of the protein that allows the calmodulin to recognize and to bind to certain proteins with a high affinity. The bond of the calmodulin with its target protein then leads to the creation of an active complex.

The calmodulin is known for interacting with numerous proteins or enzymes as well as with numerous hydrophobic pharmaceutical agents or else with peptides of natural origin or synthetic origin.

In this regard, it is possible to cite

- Certain protein-kinases involved in the cellular homeostasis and in certain critical cellular functions such as metabolism, motility, the transcription of genes and the cellular division, the proliferation;
- The calcineurin that is a phosphatase that has a role in the regulation of enzymes and proteins that are involved in the transduction of the calcium signal;

- The phosphodiesterase with cyclic nucleotides, the guanylylcyclase and the adenylylcyclase thus regulating in a positive manner and/or in a negative manner the ratios of the AMP-cyclic and GMP-cyclic second messengers in the mechanism of action of certain hormones;
- The three isoforms of the NO-synthase that occur in the production of NO and thus in the vascular relaxation, the cytotoxic action of the macrophages, the release of neurotransmitters, neuropeptides and/or hormones;
- Certain vital cytoskeleton proteins in the monitoring of the shape of cells, their rigidity and their adhesion, such as, for example, myosin;
- Caldesmon, spectrins, adducin, proteins that bind to actin;
- Desmoccalmin, a protein of the desmosome that interacts with the keratins;
- The plasma-membrane Ca^{2+} -ATPases that occur in the maintenance of the intracellular ion concentration;
- Ornithine decarboxylase, certain A2 phospholipases and certain transglutaminases have been cited as being calmodulin-dependent.

In contrast, certain studies suggest that calmodulin has a role in the phenomena for reparation of deoxyribonucleic acid and that it potentially would be involved in aging of the skin.

It is known, finally, that if calmodulin is a well-described protein, it is actually the prototype of a large family of

protein of which all of the individuals have not yet been described.

Thus, after long and laborious works, the applicant demonstrated, among the proteins of the epidermis, isolated and purified by biochemical techniques, a polypeptide that is expressed in the corneal epithelia. This polypeptide, otherwise called "CLSP" in the text (for skin protein similar to calmodulin: calmodulin-like skin protein) is expressed in the epidermis. It is known that in the corneal epithelia, the very large majority of expressed proteins is constituted by keratins. Thus, it is only by working out a particular extraction method that eliminates the keratins that the applicant was able to isolate and then to purify the CLSP.

The applicant then determined the primary amino acid sequence.

The invention therefore has as its object an isolated and purified polypeptide that belongs to the family of the calcium-fixing proteins (CaBP: calcium binding protein), characterized by the fact that it corresponds to the amino acid sequence SEQ ID

NO: 1 below:

Met	Ala	Gly	Glu	Leu	Thr	Pro	Glu	Glu	Glu	10
Ala	Gln	Tyr	Lys	Lys	Ala	Phe	Ser	Ala	Val	20
Asp	Thr	Asp	Gly	Asn	Gly	Thr	Ile	Asn	Ala	30
Gln	Glu	Leu	Gly	Ala	Ala	Leu	Lys	Ala	Thr	40
Gly	Lys	Asn	Leu	Ser	Glu	Ala	Gln	Leu	Arg	50
Lys	Leu	Ile	Ser	Glu	Val	Asp	Ser	Asp	Gly	60
Asp	Gly	Glu	Ile	Ser	Phe	Gln	Glu	Phe	Leu	70
Thr	Ala	Ala	Arg	Lys	Ala	Arg	Ala	Gly	Leu	80
Glu	Asp	Leu	Gln	Val	Ala	Phe	Arg	Ala	Phe	90
Asp	Gln	Asp	Gly	Asp	Gly	His	Ile	Thr	Val	100
Asp	Glu	Leu	Arg	Arg	Ala	Met	Ala	Gly	Leu	110
Gly	Gln	Pro	Leu	Pro	Gln	Glu	Glu	Leu	Asp	120
Ala	Met	Ile	Arg	Glu	Ala	Asp	Val	Asp	Gln	130
Asp	Gly	Arg	Val	Asn	Tyr	Glu	Glu	Phe	Ala	140
Arg	Met	Leu	Ala	Gln	Glu					146

The polypeptide of the invention can be of natural or synthetic origin. Synthetic is defined here as any polypeptide that is obtained chemically or by production in an organism after introduction into this organism of elements that are necessary for this production.

The polypeptide of the invention can be obtained from any possible origin, namely either animal, in particular mammals and even more particularly human, or vegetable, either microorganisms (virus, phages, bacteria, i.a.) or else mushrooms, without prejudging whether or not they are present in a natural manner in said organism of origin.

Preferably, the polypeptide of the invention is of natural origin, purified from mammal tissues, particularly from mammal skin.

Preferably, the polypeptide of the invention is purified from human skin and even more preferably from human epidermis.

It is known that in a polypeptide, one or more amino acid residues can change for amino acid residues that have a similar hydropathic index without thereby changing the biological properties of the polypeptide. The hydropathic index is an index that is attributed to amino acids based on their hydrophobicity and their charge (Kyte et al. (1982), J. Mol. Biol, 157: 105).

The invention thus also has as its object a polypeptide as described above in which at least one amino acid residue has been changed for an amino acid residue that has a similar hydropathic index.

It is known that in general, the mature polypeptides that are found in the cells are obtained from the maturation of precursors that contain in their sequence the sequence of the mature polypeptide.

The invention thus also relates to any polypeptide, natural or synthetic, whose sequence partly consists of the sequence of the polypeptide of the invention.

It is known that the polypeptides can undergo post-translational modifications such as the formation of disulfide bonds, specific proteolytic cleavages, the addition of glucides (glycosylation), phosphorylation in particular at the level of serines and/or threonines and/or tyrosines, and/or the combination with lipids.

The polypeptide of the invention may have undergone one or more post-translational modifications.

The invention thus also relates to the polypeptide of the invention that may or may not have undergone post-translational modifications.

It is known to classify the polypeptides based on their isoelectric point.

The theoretical isoelectric point of the polypeptide of the invention can be derived from its amino acid scheme. The polypeptide of the invention is a theoretically acidic polypeptide.

The invention thus has as its object a polypeptide whose theoretical isoelectric point is between 1 and 6, particularly between 3 and 5. The polypeptide of the invention has a theoretical isoelectric point of 4.075.

It is known that the primary amino acid sequence as well as the various post-translational modifications undergone by a

polypeptide ensure that said polypeptide can be characterized by its apparent molecular weight that is expressed in kilodaltons.

Apparent molecular weight is defined as the molecular weight that is obtained for the polypeptide by comparison of the electrophoretic mobility of the latter with those of standard proteins of molecular weight that are known on polyacrylamide/sodium dodecylsulfate gel, or else by comparison of the elution volume of the polypeptide with that of standard proteins of molecular weight known by exclusion chromatography (according to the techniques described in "Protein Purification," J.-C. Janson and L. Ryden, VCH Publisher Inc., N.Y., 1989).

The knowledge of the amino acid scheme of the polypeptide of the invention makes it possible to determine the theoretical molecular weight.

The invention therefore relates to a polypeptide that has a theoretical molecular weight of between 13 and 17 kilodaltons (kD), particularly between 14 and 16 kilodaltons (kD).

Very particularly, the polypeptide of the invention has a theoretical molecular weight of 15.9 kilodaltons (kD).

It further known that the primary amino-acid sequence of a polypeptide determines sites that are specifically recognized by proteases that, once the recognition of these sites is completed, will, with or without fixing to said polypeptide, induce its cleavage by proteolysis.

The invention thus also relates to at least one mixture of polypeptides obtained from the proteolysis of the invention.

It is therefore understood that in the text and unless otherwise stated, polypeptide is defined as the natural or synthetic polypeptide of the invention as described above or at least one of its fragments, whether it be obtained by proteolysis or in a synthetic manner or else any natural or synthetic polypeptide whose sequence consists totally or partially of the polypeptide sequence described above.

The analysis of the primary amino acid sequence of the polypeptide of the invention shows that the latter contains particular sites that are recognized as participating, in calcium-fixing polypeptides, in the development of the calcium-fixing site or sites. The calcium-fixing by the polypeptide of the invention is furthermore confirmed by the results of tests further presented in the examples.

The polypeptide of the invention is a calcium-fixing polypeptide.

Furthermore, the importance of the presence in the organism of the proteins of the calmodulin family is seen in the text. The importance of being able to provide to the organism a protein of the calmodulin family so as to modify the effects of the latter then is understood. The potential applications therefore cover all the pathways for the transduction of the calcium-dependent signal.

For example, in cosmetics, the protein of the invention can be used to regulate the impairments of epidermal, normal or pathological proliferation or differentiation (dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyosis,

neoplasia...), in the treatment of aging, particularly aging of the skin, and in the treatment of skin damage linked to exposure to ultraviolet radiation.

Thus, another object of the invention is therefore to provide compositions that comprise, in a physiologically acceptable medium, at least one polypeptide as described above.

According to the invention, a physiologically acceptable medium is a cosmetically and/or pharmaceutically acceptable medium that is compatible with the skin, the mucous membranes, the nails and the hair.

The compositions of the invention can be cosmetic or pharmaceutical compositions.

The compositions of the invention are preferably applied to the skin or the mucous membranes.

The polypeptide of the invention can be used as an agent that regulates the impairments of epidermal, normal or pathological proliferation or differentiation particularly in the treatment of dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyoses, and neoplasias. The polypeptide of the invention thus can be introduced into a composition that is intended for the moisturizing and/or making up of the skin, mucous membranes and/or keratinic fibers.

The composition of the invention is also intended to fight against the signs of aging of the skin and/or to fight against the effects of ultraviolet radiation, particularly of A or B type.

Another object of the invention is therefore a composition that is intended to treat the impairments of epidermal proliferation or differentiation, dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyoses, and/or neoplasias.

It also relates to a composition that comprises at least one polypeptide of the invention for fighting against the signs of aging of the skin and/or for fighting against the effects of ultraviolet radiation, particularly of A or B type.

Another object of the invention relates to the use of at least one polypeptide of the invention in a composition or for the preparation of a composition, whereby the polypeptide or the composition is intended to treat the impairments of epidermal proliferation or differentiation, dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyoses, and/or neoplasias.

It also relates to the use of at least one polypeptide of the invention as an agent for treating the signs of aging of the skin and/or for fighting against the effects of ultraviolet radiation, particularly of A or B type.

Another object of the invention is also a process for cosmetic treatment that is intended to fight against the cutaneous signs of impairments of epidermal proliferation and/or differentiation such as dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyoses, and/or neoplasias, the signs of aging of the skin and/or the effects of ultraviolet radiation, particularly of A or B type, characterized by the fact that a cosmetic composition that comprises at least one polypeptide of

the invention is applied to the skin, the mucous membranes and/or the keratinic fibers.

The process for treatment of the invention is a cosmetic process that is intended to improve the aesthetic appearance of the individual who is experiencing difficulties in epidermal proliferation and/or differentiation.

The amount of polypeptide that is contained in the composition of the invention is, of course, based on the desired result and can therefore vary to a wide extent.

To provide an order of magnitude, the composition can contain the polypeptide of the invention in an amount that represents 0.00001% to 50% of the total weight of the composition and preferably in an amount that represents 0.001% to 10% of the total weight of the composition and even more preferably in an amount that represents 0.1% to 1% of the total weight of the composition.

The invention also has as its object the use of the polypeptide of the invention or its proteolysis fragments and any synthetic peptide that is derived from its sequence, to prepare or to purify, optionally from the epidermis, any structural or functional molecule that can be bound specifically to said isolated polypeptide or to said isolated proteolysis fragments or to said synthetic peptide.

In this regard, the applicant demonstrated that the polypeptide of the invention can, for example, be bound to at least one protein target that is selected from among the transglutaminases, particularly transglutaminase 3, galectin 7,

the annexins, particularly annexins 2, MRP14 or calgranulin B, the heparanases, HSP 27, SCCE or else the ribosomal protein L9 of 60S.

To the extent that it is known that the transglutaminases play a significant role in the formation of corneal casings, it is possible to assume that the CLSP plays a regulating role in the formation of corneal casings through the fixing to the transglutaminase.

The invention thus has as its object the use of the polypeptide of the invention or its proteolysis fragments and any synthetic peptide derived from its sequence for regulating the transglutaminases, particularly transglutaminase 3 and thus for regulating the formation of the corneal layer of the epidermis.

To the extent that the polypeptide of the invention belongs to the family of calmodulins and that it is known that the polypeptides of this family are in general second-messengers that respond to a stimulus (the intracellular calcium ratio) via a fixing to their target protein, it is possible to use the polypeptide of the invention to prepare or to purify, optionally from the epidermis, any structural or functional molecule that can modulate the interaction between the polypeptide of the invention and its possible ligands.

The invention thus has as its object the use of the polypeptide of the invention or its proteolysis fragments and any synthetic peptide that is derived from its sequence to prepare or to purify, optionally from the epidermis, any structural or

functional molecule that can modulate the interaction between the polypeptide of the invention and its possible ligands.

The invention also has as its object the use of the polypeptide of the invention or its proteolysis fragments or any synthetic peptide that is derived from its sequence to prepare antiserums and/or specific monoclonal antibodies whose purpose in particular is to purify this protein and its fragments. By extension, the invention also has as its object any use of said sequence to produce antibodies or recombinant antibody fragments, regardless of the biological system that is used to produce the latter.

The invention also has as its object a polyclonal or monoclonal antibody that is characterized by the fact that it specifically recognizes the polypeptide of the invention.

The antibody may be an antibody that is prepared by immunization of any animal type that can be used for this purpose, particularly the rabbit. The antibody may be prepared by immunization with the polypeptide of the invention whether the latter is of natural or synthetic origin, purified or not.

It is known that a protein is synthesized in the cells from a deoxyribonucleic acid matrix that codes for said protein. It is also known that the genetic code is degenerated. Thus, the amino acid sequence of the polypeptide of the invention can be obtained from different deoxyribonucleic acid sequences, natural or synthetic. Synthetic deoxyribonucleic acid sequence is defined here as any sequence that is obtained chemically or by genetic manipulation.

Said deoxyribonucleic acid sequences can be obtained from any possible origins, namely either animal, in particular mammals and still more particularly human, or vegetable, either microorganisms (virus, phages, bacteria, i.a.) or else mushrooms, without prejudging whether or not they are present in a natural manner in said organism of origin.

The applicant isolated, purified and sequenced a fragment of deoxyribonucleic acids coding for the polypeptide of the invention by molecular biology techniques, in particular the screening of complementary deoxyribonucleic acid expression banks prepared from human epidermis.

The invention therefore has as its object a cosmetic or pharmaceutical composition that comprises, in a physiologically acceptable medium, all deoxyribonucleic acid sequences, natural or synthetic, of which all or part codes for the primary amino acid sequence of the polypeptide of the invention.

During these works, the applicant was able to isolate and to purify a deoxyribonucleic acid sequence that codes for the primary amino acid sequence of the polypeptide of the invention from human skin.

The invention has as its object a deoxyribonucleic acid fragment that is isolated and purified corresponding to the

nucleotide sequence that codes SEQ ID NO: 2 below:

AATTCCCGGA	TCCCTGCGGC	TGCCTGCACT	CTGGACCACG	40
AGCTCTGAGA	GCAGCAGGTT	GAGGGCCCGT	GGGCAGCAGC	80
TCGGAGGCTC	CGCGAGGTGC	AGGAGACGCA	GGCATGGCCG	120
GTGAGCTGAC	TCCTGAGGAG	GAGGCCCAGT	ACAAAAAGGC	160
TTTCTCCGCG	GTTGACACGG	ATGGAAACGG	CACCATCAAT	200
GCCCAGGAGC	TGGGCGCGGC	GCTGAAGGCC	ACGGGCAAGA	240
ACCTCTCGGA	GGCCCAGCTA	AGGAAACTCA	TCTCCGAGGT	280
TGACAGCGAC	GGCGACGGCG	AAATCAGCTT	CCAGGAGTTC	320
CTGACGGCGG	CAAGGAAGGC	CAGGGCCGGC	CTGGAGGACC	360
TGCAGGTCGC	CTTCCGCGCC	TTCGACCAGG	ATGGCGACGG	400
CCACATCACC	GTGGACGAGC	TCAGGCGGGC	CATGGCGGGG	440
CTGGGGCAGC	CGCTGCCGCA	GGAGGAGCTG	GACGCCATGA	480
TCCGCGAGGC	CGACGTGGAC	CAGGACGGGC	GGGTGAACTA	520
CGAGGAGTTC	GCGAGGATGC	TCGCCCAGGA	GTGAGGCTCC	560
CCGCCTGTGT	CCCCCTGGCT	GCGCTCTGAG	CCTTCAGGGC	600
CACCGCCCGC	TGCTGCTTTT	GTGCTGGGAC	TCTCCGGGGA	640
AACCTGGTCG	GTGGATGGGA	AACTGCCTCC	CCCTGGGAGG	680
AAGGCTTTGC	GCTCCGGGGC	CTGGATGCGG	CGCCCTCGGG	720
CCGCCTGCGA	GCCCCTCTCT	GCCTTCAGAC	CTTGGGCAGA	760
AGGAGGCCTC	CTTGGGCCTG	GTCCCCCTTT	GCCCTGCAGT	800
GGAATGAGGG	CCCCTTAACC	CCGCATTGAT	CTAAATAAAG	840
GA CTGCCGAG	TTCCAAAA			858

The invention also has as its object any polynucleotide, ribonucleic acid or deoxyribonucleic acid, sense or antisense, that corresponds at least to the nucleotide sequence that codes

SEQ ID NO: 2.

Recombinant protein is defined here as any peptide element that corresponds to all or part of the peptide sequence of the CLSP, obtained artificially after introduction and expression of all or part of the complementary DNA of the CLSP in any expression vector, regardless of the organism that allows this expression.

The invention therefore also has as its object a recombinant expression vector that contains all or part of the nucleotide sequence that codes SEQ ID NO: 2.

The invention also has as its object a recombinant protein that corresponds to all or part of the sequence SEQ ID NO: 1,

particularly the one that is obtained by expression of an expression vector pGex-2T that contains all or part of the sequence that codes SEQ ID NO: 2.

The invention also has as its object a cosmetic or pharmaceutical composition that comprises, in a physiologically acceptable medium, at least one isolated and purified deoxyribonucleic acid fragment that comprises at least one nucleotide sequence that codes SEQ ID NO: 2.

The invention also has as its object a cosmetic or pharmaceutical composition that comprises, in a physiologically acceptable medium, a sequence of sense or antisense ribonucleic acids that correspond to said sequence SEQ ID NO: 2.

It also has as its object the use of said deoxyribonucleic acid sequences for the production of the polypeptide of the invention or a ribonucleic acid that corresponds by any known technique such as, for example, in vitro synthesis, from reconstituted media or synthesis by organisms or microorganisms.

Regardless of their nature, the compositions of the invention can be ingested, injected or applied on the skin (on any cutaneous zone of the body) or the mucous membranes (oral, jugal, gingival, genital, conjunctival, ...).

According to the method of administration, the compositions according to the invention can come in all the galenical forms that are normally used.

For a topical application on the skin, the composition can have the form in particular of aqueous solution or oily solution or lotion-type dispersion or serum, cream-type emulsions of

liquid or semi-liquid consistency, obtained by dispersion of a fatty phase into an aqueous phase (H/E) or vice versa (E/H), or suspensions or emulsions of soft consistency of cream type or aqueous gel type or anhydrous type, or else microcapsules or microparticles, or vesicular dispersions of ionic type and/or non-ionic type or foams or else in the form of compositions for aerosol that also comprise a pressurized propellant. These compositions are prepared according to common methods.

For the injection, the composition can come in the form of aqueous lotion, oily lotion or in the form of serum. For the eyes, it can come in the form of drops, and for ingestion, it can come in the form of capsules, granules, syrups or tablets.

The amounts of different components of the compositions according to the invention are those conventionally used in the areas under consideration.

These compositions constitute in particular creams for cleaning, screening, treatment or moisturizing for the face, for the hands, for the feet, for the large anatomical folds or for the body (for example, day creams, night creams, make-up removal creams, make-up foundation creams, sun-block creams), liquid make-up removers, cleansing creams, screening or moisturizing body lotions, sun-block creams, after-sun creams, lotions, gels or foams for moisturizing skin, such as cleansing lotions, sun-block lotions, after-sun lotions, artificial tanning lotions, compositions for the bath, deodorizing compositions that comprise a bactericidal agent, aftershave gels or lotions, depilatory creams, insect repellents, pain-relief compositions, compositions

to treat certain skin diseases such as eczema, rosacea, psoriasis, lichens, severe pruritis, and ichthyosis.

The compositions according to the invention can also consist of solid preparations that consist of soaps or cleansing bars.

The compositions can also be packaged in aerosol form, to include a pressurized propellant.

The composition according to the invention can also be a composition for care of the scalp, in particular a shampoo, a curling lotion, a medicating lotion, a styling cream or gel, a compound of dyes (in particular oxidation dyes) optionally in the form of coloring shampoos, hair restructuring lotions, a permanent compound (in particular a compound for a first permanent), a hair-loss prevention lotion or gel, a lice-control shampoo, anti-dandruff compositions, etc.

The composition can also have an oral-dental use, for example a toothpaste. In this case, the composition can contain common adjuvants and additives for the compositions for oral use and in particular surfactants, thickening agents, moisturizers, polishing agents such as silica, various active ingredients such as fluorides, in particular sodium fluoride, and optionally sweeteners such as sodium saccharinate.

When the composition is an emulsion, the proportion of the fatty phase can go from 5% to 80% by weight and preferably 5% to 50% by weight relative to the total weight of the composition. The oils, the waxes, the emulsifiers and the co-emulsifiers that are used in the composition in emulsion form are selected from among those that are conventionally used in the cosmetic domain.

The emulsifier and the co-emulsifier are present in the composition in a ratio of from 0.3% to 30% by weight and preferably from 0.5 to 20% by weight relative to the total weight of the composition. The emulsion can also contain lipid vesicles.

When the composition is an oily solution or an oily gel, the fatty phase can represent more than 90% of the total weight of the composition.

In a known way, the cosmetic composition can also contain usual adjuvants in the cosmetic domain, such as the hydrophilic or lipophilic solidifiers, the hydrophilic or lipophilic additives, the preservatives, the antioxidants, the solvents, the perfumes, the feedstocks, the filters, the odor absorbers and the coloring materials. The amounts of these different adjuvants are those conventionally used in the cosmetic domain, and, for example, from 0.01% to 10% of the total weight of the composition. These adjuvants, according to their nature, can be introduced in the fatty phase, in the aqueous phase and/or in the lipid spheres.

As oils or waxes that can be used in the invention, it is possible to cite the mineral oils (vaseline oil), vegetable oils (liquid fraction of karite butter, sunflower seed oil), animal oils (perhydrosqualene), synthesis oils (purcellin oil), siliconized oils or waxes (cyclomethicone) and fluorinated oils (perfluoropolyethers), beeswax, carnauba wax or paraffin wax. It is possible to add to these oils fatty alcohols and fatty acids (stearic acid).

As emulsifiers that can be used in the invention, it is possible to cite, for example, glycerol stearate, polysorbate 60 and the PEG-6/PEG-32/glycol stearate mixture that is sold under the name of Tefose^R 63 by the Gattefosse Company.

As solvents that can be used in the invention, it is possible to cite the lower alcohols, in particular ethanol and isopropanol, and propylene glycol.

As hydrophilic solidifiers that can be used in the invention, it is possible to cite the carboxyvinyl polymers (carbomer), acrylic copolymers such as the copolymers of acrylates/alkylacrylates, the polyacrylamides, the polysaccharides such as hydroxypropylcellulose, the natural gums and the clays, and, as lipophilic solidifiers, it is possible to cite modified clays such as bentones, inorganic salts of fatty acids such as the aluminum stearates and hydrophobic silica, ethyl cellulose, and polyethylene.

The composition can contain other hydrophilic active substances such as the proteins or protein hydrolysates, amino acids, polyols, urea, allantoin, sugars and sugar derivatives, water-soluble vitamins, vegetable extracts and hydroxy acids.

As lipophilic active substances, it is possible to use retinol (vitamin A) and its derivatives, tocopherol (vitamin E) and its derivatives, essential fatty acids, ceramides, essential oils, and salicylic acid and its derivatives.

According to the invention, the composition can combine at least one extract of at least one iridace with other active agents that are intended in particular for prevention and/or

treatment of skin ailments. Among these active agents, it is possible to cite by way of example:

- The agents that reduce the differentiation and/or the proliferation and/or the skin pigmentation such as retinoic acid and its isomers, retinol and its esters, vitamin D and its derivatives, estrogens such as estradiol, kojic acid or hydroquinone;

- The antibacterial agents such as clindamycin phosphate, erythromycin or the tetracycline-class antibiotics;

- The lice-control agents, in particular metronidazole, crotamiton or the pyrethrinoids;

- The anti-fungals, in particular the compositions that belong to the imidazole class such as econazole, ketoconazole or miconazole or their salts, the polyene compositions, such as amphotericin B, the compositions of the allylamine family, such as terbinafine or else octopirox;

- Antiviral agents such as acyclovir;

- Steroidian anti-inflammatory agents, such as hydrocortisone, betamethasone valerate or clobetasol propionate, or non-steroidian anti-inflammatory agents, such as, for example, ibuprofen and its salts, diclofenac and its salts, acetylsalicylic acid, acetaminophen or glycyrrhizic acid;

- Anesthetic agents such as lidocaine chlorohydrate and its derivatives;

- Antipruritic agents such as thenaldine, trimeprazine, or cyproheptadine;

```
-- The hydrating agents such as glycerol and its
derivatives;
```

-- The anti-seborrhea agents such as progesterone;

-- The anti-acne agents such as retinoic acid or benzoyl
peroxide;

-- The extracts of vegetable origin or bacterial origin.

Thus, according to a particular embodiment, the composition according to the invention also comprises at least one agent that is selected from among the antibacterial agents, lice-control agents, anti-fungal agents, antiviral agents, anti-inflammatory agents, antipruritic agents, anesthetic agents, keratolytic agents, free anti-radical agents, anti-seborrhea agents, anti-dandruff agents, anti-acne agents and/or the agents that reduce the differentiation and/or the proliferation and/or the skin pigmentation.

Example 1**Materials and Methods:**

The cDNA keratinocyte library cloned in λ gt11 (origin of mRNA = keratinocytes of adult human foreskins) is obtained from Clontech (Palo Alto, CA, USA).

The oligomers that are used in the different experiments are presented below:

Name of the oligomer	Derived from	Position	Sequence 5' to 3'
sc5 (sense)	CLSP	168/191	GC (N) GT (N) GA (Y) AC (N) GA (Y) GG (N) AA (Y) GG (N)
sc10 (antisense)	CLSP	535/554	TCACTCCTGGGCGAGCATC
sc16 (antisense)	CLSP (+ RS)	533/555	TTGAATTCTCACTCCTGGGCGAGCA TCCTC
sc21 (antisense)	CLSP	240/257	CTGGGCCTCCGAGAGGTT
sc29 (sense)	CLSP (+ RS)	113/140	GATAGGATCCATGGCCGGTGAGCTG ACTCCTGAGGAG
sc7 is the SK-primer oligomer sold by the Stratagene Company,			
Not I-(dT) ₁₈ is a primer sold by the Amersham Pharmacia Biotech Company			

N = A, C, G or T

Y = C or T

(+RS): Restriction site(s) added to the sequence in the oligomer

Degenerated oligomer sc5 is based on the amino acid sequence SEQ ID NO: 1. All of the other oligomers derived from CLSP and their position are derived from nucleotide sequence SEQ ID NO: 2.

Not I-(dT)₁₈ is designed for attaching to long series of A, for example the polyA+. Used in the reverse transcription reactions, Not I-(dT)₁₈ attaches to polyA+.

1. Preparations from the human stratum corneum

Buffers:

I : SDS 0.3%; tris-HCl 28 mmol; tris-base 22 mmol

2D : 8 M urea; 2% CHAPS (3-(3-cholamidopropyl)-dimethylamonio-1-propane-sulfonate); dithiothreitol 20 mmol; 0.5% imobilin pH gradient buffer (Amersham Pharmacid Tiotech), pH = 3;

For the purification of the CLSP, acetone extracts of the stratum corneum were prepared according to the method described by Lundstrom and Egelrüd in Acta Derm. Venerol., 1991, 71: 471-474. .

78 mg of acetone powder was thus prepared.

2.5 ml of buffer I is added to 78 mg of acetone powder, and the whole is potterized, brought to boiling for 10 minutes and then repotterized. The solution is then centrifuged at 10,000 g for 10 minutes. The supernatant is collected and filtered with 0.22 M. 2 ml of supernatant S1 thus is obtained.

10 ml of cold acetone (10V/2V) is then added to supernatant S1. It is left in the cold (stacked ice) for 10 minutes, and it is centrifuged at 9400 g for 20 minutes at 4°C.

The supernatant is then eliminated, and the cap is dried at ambient temperature for 20 minutes. The cap is then taken up in 30 l of buffer 2D. Extract E1 is thus obtained.

2. Bidimensional Gel

The separation into two dimensions of the proteins that are contained in extract E1 is carried out in a Pharmacia-brand device (multiphor model) according to the recommendations of the supplier.

The coloring of the spots, the recovery of the latter and the sequencing of the polypeptide that they contained were carried out according to standard techniques described in "Gel Electrophoresis of Proteins" (IRL Press) or else "A Practical Guide to Protein and Peptide Purification for Microsequencing" (Paul Matsudaira, Editor, Second Edition, 1993).

3. Cloning and Sequencing of cDNA CLSP:

The total RNA of keratinocytes of an epidermal equivalent (Episkin) were prepared with an RNeasy Kit preparation kit and purified with a QIA shredder column kit of the Qiagen brand according to the specifications of the supplier.

The additional DNA of the thus prepared RNA were synthesized with a First Strand cDNA Synthesis Kit of Amersham Pharmacia Biotech brand according to the specifications of the supplier by using the NotI-d(T)18 oligomer.

A cDNA with 775 pairs of bases that is thus obtained was amplified by polymerization chain reactions (PCR) in a thermal

cycle device of Perkin-Elmer brand (Thermocycler model) by using a pfu polymerase of Stratagene brand and the sc5/NotI-d(T)18 oligomer pair. A sequencing of this fragment made it possible to determine from it the nucleotide scheme.

To obtain the complete sequence of cDNA of the CLSP, PCR reactions were carried out with the following oligomer pairs sc10/sc7, sc7/sc21, sc16/sc29 under standard experiment conditions on a DNA bank complementary to keratinocytes cloned in phage gt11 (Stratagene).

The homology research was carried out via the WU-Blast program on the Internet site Expasy Swissprot; the detection of possible cleavage sites is carried out via the Omega 1.1 PC program (Oxford Molecular, Oxford, U.K.).

Design and expression of a recombinant CLSP protein:

The cDNA of the CLSP is introduced in the pGex-2T vector (Pharmacia Biotech Inc.) by cutting/binding to the BamH-1/EcoRI restriction sites. The design for which the coding sequence of the CLSP is in phase with the sequence of the glutathione S-transferase contained in the vector is then introduced into the E. coli BL21 bacterium. The recombinant protein that is expressed by the bacteria can be cut by the thrombin, whereby the design is such that the fusion protein that is obtained carries a site for cutting by this protease. All of these experiments were carried out by strictly applying the various protocols of the suppliers.

Calcium-fixing by the CLSP:

The fusion protein that is obtained above is deposited on an SDS-PAGE-type gel in the presence or in the absence of ethylene diamine tetraacetate (EDTA), chelating agent of calcium ions, according to the protocol described by Burgess et col. (BBA, 623 (1980), 257-270).

Affinity chromatography:

Affinity chromatography columns have been produced with 1 ml of ball.

The polypeptide of the invention was immobilized on sepharose balls activated with cyanogen bromide that is obtained from Amersham Pharmacia Biotech and according to the recommendations of the manufacturer by using 1.3 mg of polypeptide per milliliter of balls.

The coupling efficiency was 0.95 mg of polypeptide per milliliter of balls. Human epidermis (0.83 g of abdominal skin obtained from plastic surgery and 100 g of plantar stratum corneum) was homogenized with polytron in 10 ml and 120 ml respectively of 10 mmol of Hepes buffer, pH 7.4, containing 150 mmol of sodium chloride, 0.1% (weight/volume) of triton X100 and a mixture of protease inhibitors (CompleteTM EDTA-free of Roche Molecular diluted with 1 M of depepstatin).

The suspension is then centrifuged at 10,000 g for 10 minutes at 4°C. The supernatant is filtered at 0.22 and adjusted with 2.5 mmol of calcium chloride before passing at ambient temperature through the affinity column. The columns are then

washed with 10 volumes of 10 mmol Hepes buffer, pH 7.4, containing 150 mmol of sodium chloride, 0.1% (weight/volume) of triton X100 and a mixture of protease inhibitors. The elution is carried out by using the same buffer that contains 5 mmol of EDTA instead of 2 mmol of calcium chloride.

The eluted proteins are subjected to a denaturing gel electrophoresis (SDS-PAGE) and after migration, they are colored with silver with a silver coloration kit of the Amersham Pharmacia Biotech Company and according to the recommendations of the manufacturer.

RESULTS:

Purification and characterization of the CLSP

Among all of the spots that are analyzed from the bidimensional gel, the sequence that is derived from one of the spots provided a sequence homology with the calmodulin that is important enough to be retained but different enough for its analysis to be pursued.

From the amino acid sequence elements that are obtained and by the molecular biology techniques described above, it was possible to isolate and to purify the sequence SEQ ID NO: 1.

The sequence homologies between this protein and the calmodulin allow one to think that this protein should have properties similar to those of calmodulin.

Four calcium-fixing sites can be demonstrated in this sequence, namely the sites between amino acids 21 and 32, 57 and 68, 91 and 102, and 127 and 138.

The electrophoretic migration experiments, particularly with the recombinant protein, carried out in the presence or in the absence of calcium ions confirm that the protein fixes the calcium.

This sequence therefore corresponds to a complete calcium-fixing protein that is not calmodulin and that is present in the stratum corneum of the human epidermis.

Cloning of the DNA of the SCTE:

By the techniques described above, a DNA with 858 pairs of bases was isolated. This DNA fragment comprises the integral coding sequence of the CLSP, from the ATG codon at position 114 up to the stop codon at position 552.

Affinity chromatography:

The sequencing of one of the proteins held in the affinity column carried out with the polypeptide of the invention showed that it is a transglutaminase and particularly transglutaminase 3.

Other experiments showed that galectin 7, the annexins, particularly annexins 2, MRP14 or calgranulin B, the heparanases, particularly heparanase II, Heat Shock P 27, the SCCE or else the ribosomal L9 protein of 60S are also bound to the polypeptide of the invention.

CLAIMS

1. Purified natural or synthetic polypeptide, characterized by the fact that it responds to the amino acid sequence SEQ ID NO: 1:

Met	Ala	Gly	Glu	Leu	Thr	Pro	Glu	Glu	Glu	10
Ala	Gln	Tyr	Lys	Lys	Ala	Phe	Ser	Ala	Val	20
Asp	Thr	Asp	Gly	Asn	Gly	Thr	Ile	Asn	Ala	30
Gln	Glu	Leu	Gly	Ala	Ala	Leu	Lys	Ala	Thr	40
Gly	Lys	Asn	Leu	Ser	Glu	Ala	Gln	Leu	Arg	50
Lys	Leu	Ile	Ser	Glu	Val	Asp	Ser	Asp	Gly	60
Asp	Gly	Glu	Ile	Ser	Phe	Gln	Glu	Phe	Leu	70
Thr	Ala	Ala	Arg	Lys	Ala	Arg	Ala	Gly	Leu	80
Glu	Asp	Leu	Gln	Val	Ala	Phe	Arg	Ala	Phe	90
Asp	Gln	Asp	Gly	Asp	Gly	His	Ile	Thr	Val	100
Asp	Glu	Leu	Arg	Arg	Ala	Met	Ala	Gly	Leu	110
Gly	Gln	Pro	Leu	Pro	Gln	Glu	Glu	Leu	Asp	120
Ala	Met	Ile	Arg	Glu	Ala	Asp	Val	Asp	Gln	130
Asp	Gly	Arg	Val	Asn	Tyr	Glu	Glu	Phe	Ala	140
Arg	Met	Leu	Ala	Gln	Glu					146

2. Polypeptide according to claim 1, wherein it is purified from mammals.

3. Polypeptide according to any of the preceding claims, wherein it is purified from the skin of mammals.

4. Polypeptide according to any of the preceding claims, wherein it is purified from human skin.

5. Polypeptide according to any of the preceding claims, wherein it is purified from the human epidermis.

14. Composition for treating dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyoses, neoplasias, wherein in a

physiologically acceptable medium, it comprises at least one polypeptide as defined in any of claims 1 to 11.

15. Composition according to any of claims 12 to 14, wherein it is intended for a cosmetic or pharmaceutical application.

16. Use of at least one polypeptide as defined in any of claims 1 to 11, in a composition or for the preparation of a composition, whereby the polypeptide or the composition is intended to treat dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyoses, neoplasias.

17. Use of at least one polypeptide as defined in any of claims 1 to 11, in a composition or for the preparation of a composition, whereby the polypeptide or the composition is intended to regulate the transglutaminases.

18. Use of at least one polypeptide as defined in any of claims 1 to 11, in a composition or for the preparation of a composition, whereby the polypeptide or the composition is intended to regulate transglutaminase 3.

19. Use of at least one polypeptide as defined in any of claims 1 to 11, in a composition or for the preparation of a composition, whereby the polypeptide or the composition is intended to regulate the formation of the corneal layer of the epidermis.

20. Process of cosmetic treatment for treating dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyoses, neoplasias, wherein a cosmetic composition as described in claims 12 to 15 is applied on the skin of the subject to be treated.

21. Isolated deoxyribonucleic acid fragment that codes for the polypeptide as defined in one of claims 1 to 11.

22. Isolated deoxyribonucleic acid fragment that comprises at least the nucleotide sequence that codes SEQ ID NO: 2 below:

AATTCCCGGA	TCCCTGCGGC	TGCCTGCACT	CTGGACCACG	40
AGCTCTGAGA	GCAGCAGGTT	GAGGGCCGGT	GGGCAGCAGC	80
TCGGAGGCTC	CGCGAGGTGC	AGGAGACGCA	GGCATGGCCG	120
GTGAGCTGAC	TCCTGAGGAG	GAGGCCCAGT	ACAAAAAGGC	160
TTTCTCCGCG	GTTGACACGG	ATGGAAACGG	CACCATCAAT	200
GGCCAGGAGC	TGGGCGCGGC	GCTGAAGGCC	ACGGGCAAGA	240
ACCTCTCGGA	GGCCCAGCTA	AGGAAACTCA	TCTCCGAGGT	280
TGACAGCGAC	GGCGACGGCG	AAATCAGCTT	CCAGGAGTTC	320
CTGACGGCGG	CAAGGAAGGC	CAGGGCCGGC	CTGGAGGACC	360
TGCAGGTCGC	CTTCCGCGCC	TTCGACCAGG	ATGGCGACGG	400
CCACATCACC	GTGGACGAGC	TCAGGCGGGC	CATGGCGGGG	440
CTGGGGCAGC	CGCTGCCGCA	GGAGGAGCTG	GACGCCATGA	480
TCCGCGAGGC	CGACGTGGAC	CAGGACGGGC	GGGTGAACTA	520
CGAGGAGTTC	GCGAGGATGC	TCGCCCAGGA	GTGAGGCTCC	560
CCGCCTGTGT	CCCCCTGGCT	GCGCTCTGAG	CCTTCAGGGC	600
CACCGCCCGC	TGCTGCTTTT	GTGCTGGGAC	TCTCCGGGGA	640
AACCTGGTCG	GTGGATGGGA	AACTGCCTCC	CCCTGGGAGG	680
AAGGCTTTGC	GCTCCGGGGC	CTGGATGCGG	CGCCCTCGGG	720
CCGCCTGCGA	GCCCCTCTCT	GCCTTCAGAC	CTTGGGCAGA	760
AGGAGGCCTC	CTTGGGCCTG	GTCCCCCTTT	GCCCTGCAGT	800
GGAATGAGGG	CCCCTTAACC	CCGCATTGAT	CTAAATAAAG	840
GACTGCCGAG	TTCCAAAA			858

23. Isolated deoxyribonucleic acid fragment that comprises all or part of the nucleotide sequence as described in claim 22.

24. Cosmetic or pharmaceutical composition, wherein it comprises, in a physiologically acceptable medium, at least one nucleotide sequence as described in any of claims 22 or 23.

25. Use of at least one deoxyribonucleic acid sequence as described in any of claims 22 or 23 for preparing a polypeptide or a mixture of polypeptides.

26. Recombinant expression vector that contains all or part of the nucleotide sequence that codes SEQ ID NO: 2.

27. Recombinant protein that corresponds to all or part of the sequence SEQ ID NO: 1.

28. Recombinant protein that is obtained by expression of an expression vector pGex-2T that contains all or part of the sequence that codes SEQ ID NO: 2.

29. Use of at least one deoxyribonucleic acid sequence as described in any of claims 22 or 23 for preparing a ribonucleic acid.

30. Use of at least one isolated polypeptide or at least one of its proteolysis fragments or any synthetic peptide as described in claims 1 to 11 for preparing or purifying any molecule that can be bound specifically to said purified polypeptide or to said purified proteolysis fragments or to said synthetic peptide.

31. Use of at least one isolated polypeptide or at least one of its proteolysis fragments or any synthetic peptide as

described in claims 1 to 11 for preparing or purifying antiserums or specific monoclonal antibodies.

32. Polyclonal or monoclonal antibodies, wherein said antibody recognizes specifically the polypeptide as described in claims 1 to 11.

(12) DEMANDE INTERNATIONALE PUBLIÉE EN VERTU DU TRAITÉ
EN MATIÈRE DE BREVETS (PCT)

COOPÉRATION

(19) Organisation Mondiale de la Propriété
Intellectuelle
Bureau international



(43) Date de la publication internationale
1 février 2001 (01.02.2001)

PCT

(10) Numéro de publication internationale
WO 01/07604 A1

(51) Classification internationale des brevets⁷: C12N 15/12,
C07K 14/47, 16/18, A61K 38/17, 48/00

(74) Mandataire: GALUP, Cédric; L'Oréal/D.P.I., 6, rue
Bertrand Sincholle, F-92585 Clichy Cedex (FR).

(21) Numéro de la demande internationale:
PCT/FR00/01048

(81) États désignés (*national*): AE, AL, AM, AT, AU, AZ, BA,
BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM,
EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS,
JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,
MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU,
SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US,
UZ, VN, YU, ZA, ZW.

(22) Date de dépôt international: 20 avril 2000 (20.04.2000)

(25) Langue de dépôt: français

(26) Langue de publication: français

(30) Données relatives à la priorité:
99/09615 23 juillet 1999 (23.07.1999) FR

(84) États désignés (*régional*): brevet ARIPO (GH, GM, KE,
LS, MW, SD, SL, SZ, TZ, UG, ZW), brevet eurasien (AM,
AZ, BY, KG, KZ, MD, RU, TJ, TM), brevet européen (AT,
BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC,
NL, PT, SE), brevet OAPI (BF, BJ, CF, CG, CI, CM, GA,
GN, GW, ML, MR, NE, SN, TD, TG).

(71) Déposant (*pour tous les États désignés sauf US*):
L'OREAL [FR/FR]; 14, rue Royale, F-75008 Paris (FR).

Publiée:

— Avec rapport de recherche internationale.

(72) Inventeurs; et

(75) Inventeurs/Déposants (*pour US seulement*): MEHUL,
Bruno [FR/FR]; 2, place de la Fontaine, F-92800 Villejuif
(FR). BERNARD, Dominique [FR/FR]; 48, rue Paul Bar-
ruel, F-75015 Paris (FR). SIMONETTI, Lucie [FR/FR];
14, rue Breguet, F-75011 Paris (FR).

En ce qui concerne les codes à deux lettres et autres abrégia-
tions, se référer aux "Notes explicatives relatives aux codes et
abréviations" figurant au début de chaque numéro ordinaire de
la Gazette du PCT.

(54) Title: ISOLATED PEPTIDE OF THE HORNY LAYER AND USE THEREOF

(54) Titre: POLYPEPTIDE ISOLE DU STRATUM CORNEUM ET SON UTILISATION

(57) Abstract: The invention concerns an isolated polypeptide, of the family of calcium-fixing proteins, a mixture of polypeptides derived from proteolysis of the isolated polypeptide, compositions containing them, the uses of said polypeptide and a cosmetic treatment method for dry skin, hyperkeratosis, parakeratosis, psoriasis, ichthyosis, neoplasia. The invention also concerns a deoxyribonucleic acid sequence coding for said polypeptide and the uses of said deoxyribonucleic sequence.

(57) Abrégé: L'invention a pour objet un polypeptide isolé, de la famille des protéines fixant le calcium, un mélange de polypeptides issus de la protéolyse du polypeptide isolé, des compositions les contenant, les utilisations dudit polypeptide et un procédé de traitement cosmétique destiné à traiter les peaux sèches, l'hyperkératose, la parakératose, le psoriasis, l'ichtyose, les néoplasies. L'invention a également pour objet une séquence d'acide désoxyribonucléique codant pour ledit polypeptide et les utilisations de ladite séquence d'acide désoxyribonucléique.

WO 01/07604 A1

016800-473
Attorney's Docket No.

COMBINED DECLARATION AND POWER OF ATTORNEY FOR UTILITY OR DESIGN PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

ISOLATED PEPTIDE OF THE HORNY LAYER AND USE THEREOF

the specification of which (check only one item below):

- ☐ is attached hereto.
- ☐ was filed as United States application
Number _____ on _____
and was amended _____ on _____ (if applicable).
- ☒ was filed as PCT international application
Number PCT/FR00/01048 on 20 APRIL 2000
and was amended _____ on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §§119 (a)-(d), 172 or 365 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

PRIOR FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. §§119(a)-(d), 172 or 365:				
COUNTRY (if PCT, indicate "PCT")	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. §§119, 172 or 365	
France	99/09615	23 JULY 1999	X Yes	No
			Yes	No
			Yes	No
			Yes	No
			Yes	No

I hereby appoint the following attorneys and agent(s) to prosecute said application and to transact all business in the Patent and Trademark Office connected therewith and to file, prosecute and to transact all business in connection with international applications directed to said invention:

William L. Mathis	17,337	Eric H. Weisblatt	30,505	Bruce T. Wieder	33,815
Robert S. Swecker	19,885	James W. Peterson	26,057	Todd R. Walters	34,040
Platon N. Mandros	22,124	Teresa Stanek Rea	30,427	Ronni S. Jillions	31,979
Benton S. Duffett, Jr.	22,030	Robert E. Krebs	25,885	Harold R. Brown III	36,341
Norman H. Stepno	22,716	William C. Rowland	30,888	Allen R. Baum	36,086
Ronald L. Grudziecki	24,970	T. Gene Dillahunty	25,423	Brian P. O'Shaughnessy	32,747
Frederick G. Michaud, Jr.	26,003	Patrick C. Keane	32,858	Kenneth B. Leffler	36,075
Alan E. Kopecki	25,813	B. Jefferson Boggs, Jr.	32,344	Fred W. Hathaway	32,236
Regis E. Slutter	26,999	William H. Benz	25,952	Wendy L. Weinstein	34,456
Samuel C. Miller, III	27,360	Peter K. Skiff	31,917	Mary Ann Dillahunty	34,576
Robert G. Mukai	28,531	Richard J. McGrath	29,195	Donna M. Meuth	36,607
George A. Hovanec, Jr.	28,223	Matthew L. Schneider	32,814	Mark R. Kresloff	42,766
James A. LaBarre	28,632	Michael G. Savage	32,596		
E. Joseph Gess	28,510	Gerald F. Swiss	30,113		
R. Danny Huntington	27,903	Charles F. Wieland III	33,096		



21839

and:

Address all correspondence to:



21839

Norman H. Stepno
BURNS, DOANE, SWECKER & MATHIS, L.L.P.
P.O. Box 1404
Alexandria, Virginia 22313-1404

Address all telephone calls to: 703-836-6620 at (703) 836-6620.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF SOLE OR FIRST INVENTOR	<u>BRUNO MEHUL</u>
Signature	X <i>Meul</i>
Date	X <i>06-12-2002</i>
Residence (City, State, Country)	FRANCE
Citizenship	French
Mailing Address	2, place de la Fontaine
City, State, ZIP, Country	F-92800, <u>Villejuif</u> , FRANCE FRX
FULL NAME SECOND INVENTOR, IF ANY	<u>DOMINIQUE BERNARD</u>
Signature	X <i>Dominique Bernard</i>
Date	X <i>12/06/02</i>
Residence (City, State, Country)	FRANCE
Citizenship	French
Mailing Address	48, rue Paul-Barruel 4, rue du Sommet des Alpes
City, State, ZIP, Country	F-75015, <u>Paris</u> FRANCE FRX

FULL NAME THIRD INVENTOR, IF ANY	<u>LUCIE SIMONETTI</u>
Signature	X <i>Lucie Simonetti</i>
Date	X 16/05/2002
Residence (City, State, Country)	FRANCE
Citizenship	French
Mailing Address	14, rue Breguet - 3, rue du Docteur lebel
City, State, ZIP, Country	F-75011-Paris FRANCE 94300 VINCENNES FRX
FULL NAME FOURTH INVENTOR, IF ANY	
Signature	
Date	
Residence (City, State, Country)	
Citizenship	
Mailing Address	
City, State, ZIP, Country	
FULL NAME FIFTH INVENTOR, IF ANY	
Signature	
Date	
Residence (City, State, Country)	
Citizenship	
Mailing Address	
City, State, ZIP, Country	
FULL NAME SIXTH INVENTOR, IF ANY	
Signature	
Date	
Residence (City, State, Country)	
Citizenship	
Mailing Address	
City, State, ZIP, Country	
FULL NAME SEVENTH INVENTOR, IF ANY	
Signature	
Date	
Residence (City, State, Country)	
Citizenship	
Mailing Address	
City, State, ZIP, Country	

SEQUENCE LISTING

<110> Mehul, Bruno
 Bernard, Dominique
 Simonetti, Lucie

<120> Isolated Peptide of the Horny Layer and Use Thereof

<130> 016800-473

<140> US 10/031,403

<141> 2002-04-16

<150> PCT/FR00/01048

<151> 2000-04-20

<150> FR 99/09615

<151> 1999-07-23

<160> 2

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 146

<212> PRT

<213> Homo sapiens

<400> 1

Met	Ala	Gly	Glu	Leu	Thr	Pro	Glu	Glu	Glu	Ala	Gln	Tyr	Lys	Lys	Ala
1				5					10					15	
Phe	Ser	Ala	Val	Asp	Thr	Asp	Gly	Asn	Gly	Thr	Ile	Asn	Ala	Gln	Glu
			20					25					30		
Leu	Gly	Ala	Ala	Leu	Lys	Ala	Thr	Gly	Lys	Asn	Leu	Ser	Glu	Ala	Gln
		35					40					45			
Leu	Arg	Lys	Leu	Ile	Ser	Glu	Val	Asp	Ser	Asp	Gly	Asp	Gly	Glu	Ile
	50					55				60					
Ser	Phe	Gln	Glu	Phe	Leu	Thr	Ala	Ala	Arg	Lys	Ala	Arg	Ala	Gly	Leu
65					70				75					80	
Glu	Asp	Leu	Gln	Val	Ala	Phe	Arg	Ala	Phe	Asp	Gln	Asp	Gly	Asp	Gly
			85					90					95		
His	Ile	Thr	Val	Asp	Glu	Leu	Arg	Arg	Ala	Met	Ala	Gly	Leu	Gly	Gln
			100					105					110		
Pro	Leu	Pro	Gln	Glu	Glu	Leu	Asp	Ala	Met	Ile	Arg	Glu	Ala	Asp	Val
		115					120					125			
Asp	Gln	Asp	Gly	Arg	Val	Asn	Tyr	Glu	Glu	Phe	Ala	Arg	Met	Leu	Ala
	130					135					140				
Gln	Glu														
145															

<210> 2

<211> 858

<212> DNA

<213> Homo sapiens

<400> 2

aattcccgga	tccctgcggc	tgcttgcact	ctggaccacg	agctctgaga	gcagcagggtt	60
gagggccggt	gggcagcagc	tcggaggctc	cgcgaggtgc	aggagacgca	ggcatggccg	120
gtgagctgac	tcctgaggag	gaggcccagt	acaaaaaggc	tttctccgcg	gttgacacgg	180
atggaaacgg	caccatcaat	gcccaggagc	tgggcgcggc	gctgaaggcc	acgggcaaga	240
acctctcgga	ggcccagcta	aggaaaactca	tctccgaggt	tgacagcgac	ggcgacggcg	300
aaatcagctt	ccaggagttc	ctgacggcgg	caaggaaggc	cagggccggc	ctggaggacc	360
tgagggtcgc	cttccgcgcc	ttcgaccagg	atggcgacgg	ccacatcacc	gtggacgagc	420
tcaggcgggc	catggcgggg	ctggggcagc	cgtgcgcgca	ggaggagctg	gacgccatga	480
tccgcgaggc	cgacgtggac	caggacgggc	gggtgaacta	cgaggagttc	gcgaggatgc	540
tcgcccagga	gtgaggctcc	ccgcctgtgt	ccccctggct	gcgctctgag	ccttcagggc	600
caccgcccgc	tgctgctttt	gtgctgggac	tctccgggga	aacctggtcg	gtggatggga	660
aactgcctcc	ccctgggagg	aaggctttgc	gctccggggc	ctggatgcgg	cgccctcggg	720
ccgcctgcga	gccccctctt	gccttcagac	cttgggcaga	aggaggcctc	cttgggcctg	780
gtcccccttt	gccctgcagt	ggaatgaggg	ccccttaacc	ccgcattgat	ctaaataaag	840
gactgccgag	ttccaaaa					858